



Business Data Sheet

| | | | |
|---|--|--|---|
| PRODUCT TYPE | SVARAS SNUVO HVAC air purifier | |  |
| PRODUCT MODEL | SNUVO YD-720 5 inch | | |
| APPLICATION | <p>SVARAS Puro HVAC air purifier is a new generation HVAC Air system used to reduce odors, smoke, and a broad spectrum of indoor air contaminants. SNUVO is easily mounted into air conditioning and heating system air ducts where many problems can start.</p> <p>When the HVAC system is in operation, SNUVO creates an Advanced Oxidation Process consisting of hydro peroxides, superoxide ions, and safe low level ozone - all friendly oxidizer that revert back to oxygen and hydrogen after the oxidation of pollution.</p> <p>It also comes with Bi- polar ionizer that produces Positive and Negative Ions in the environment. When molecules in the air pass through the plasma field created by Bi-Polar Ionization and result in breaking apart of the molecules into individual atoms. The individual atoms are not stable ,and will react with other atoms. In other words, the atoms that need electrons will react with the atoms that have electrons to give. The atoms that need electrons can react with hydrogen on the surface of a mold, bacteria, allergen and thereby disable the mold, Mildew, cooking odors, bacteria, etc. The VOC molecules are disassembled in the same manner and form more simple molecules or react with pathogens in the air.</p> | | |
| MAIN FEATURES | | | |
| <p>Low level ozone generation Exclusive PCO/AOP technology included Bi-Polar ionization with carbon brushes(optional) Easy maintenance Easy installation and wide application</p> | | | |
| SPECIFICATIONS | | | |
| Ozone output | Trace element | | |
| Technology | PCO/AOP Technology + Bi-Polar Ionization(Optional) | | |
| Electric feature | AC/DC power adaptor 12 V. Applicable to 100V-240V/50-60Hz | | |
| Application | HVAC in homes, apartments, offices, nursing homes - for use in most HVAC duct systems | | |
| Ozone Density | <less than 0.04mg/m ³ | | |
| Coverage | Up to 2000ft ² | | |

Data sheet of SNSV-720-5 inch

| PACKAGES | | | | |
|----------------|----------------|----------------|-------------|----------------------|
| Packing Box | Dimension (cm) | Quantity (PCS) | Weight (Kg) | Material |
| Individual box | 23×23×37 | 1 | 3.5 | Color Printed Carton |



PRODUCT SIZE



REPLACEABLE PCO CELL
(INCLUDES UV LAMP)



SWITCH

UV BULB
INDICATOR

